



**Patient Group Direction For The Supply Of Doxycycline Capsules For
 Treatment Of Uncomplicated Genital Chlamydia Infection By
 Pharmacists Working Within NHS Grampian, Highland, Orkney,
 Tayside and Western Isles**

Lead Author: Pharmaceutical Care Services Manager Co-ordinator: Medicines Management Specialist Nurse NHSG	Consultation Group: See relevant page in the PGD	Approver: NoS PGD Group Authorisation: NHS Grampian
---	---	--

Signature: 		Signature: 
--	--	--

NoS Identifier: NoS/PGD/Doxy_CP/ MGPG1222	Review Date: November 2023 Expiry Date: November 2024	Date Approved: November 2021
--	--	--

NHS Grampian, Highland, Orkney, Tayside and Western Isles have authorised this Patient Group Direction to help individuals by providing them with more convenient access to an efficient and clearly defined service within the NHS Boards. This Patient Group Direction cannot be used until Appendix 1 and 2 are completed.

Uncontrolled when printed

Version 2

Revision History:

Reference and approval date of PGD that has been adapted and/or superseded	PGD supersedes NHSG/PGD/Doxy_CP/MGPG1014	
Date of change	Summary of Changes	Section heading
September 2021	PGD Review	
November 2021	The term 'women' has been replaced with 'anyone with a cervix' in-line with Scottish Government recommendations.	Exclusion criteria

NoS Identifier:

NoS/PGD/Doxy_CP/MGPG1222

Keyword(s):

PGD Patient Group Direction Doxycycline, Chlamydia, Community Pharmacy

Policy Statement: It is the responsibility of the individual healthcare professionals and their line managers to ensure that they work within the terms laid down in this PGD and to ensure that staff are working to the most up to date PGD. By doing so, the quality of the services offered will be maintained, and the chances of staff making erroneous decisions which may affect individual, staff or visitor safety and comfort will be reduced. Supervisory staff at all levels must ensure that staff using this PGD act within their own level of competence.

The lead author is responsible for the review of this PGD and for ensuring the PGD is updated in line with any changes in clinical practice, relevant guidelines, or new research evidence.





Review date: The review date for a PGD needs to be decided on a case-by-case basis in the interest of safety. The expiry date should not be more than 3 years, unless a change in national policy or update is required.

Document:	Drafted:	September 2021
	Completed:	October 2021
	Approved:	November 2021 (published – December 2021
	Amended and reauthorised:	


Organisational Authorisations

This PGD is not legally valid until it has had the relevant organisational authorisation.


PGD Developed/Reviewed by;

<p>Medical Practitioner</p>	<p>Name: Dr Ambreen Butt Health Board: NHSG Title: Consultant in Sexual Health Contact email: ambreen.butt@nhs.scot Signature:  Date Signed: 01/12/2021</p>
<p>Lead Author</p>	<p>Name: Sarah Buchan Health Board: NHSG Title : Pharmaceutical Services Improvement and Development Manager Contact email: sarah.buchan3@nhs.scot Signature:  Date Signed: 25/11/2021</p>
<p>Co-ordinator and Author of Amendments</p>	<p>Name: Frances Adamson Health Board: NHSG Title: Medicines Management Specialist Nurse Contact email: frances.adamson@nhs.scot Signature:  Date Signed: 24/11/2021</p>
<p>Pharmacist</p>	<p>Name: Sam Reid Health Board: NHSG Title : Community Pharmacist Contact email: samantha.reid7@nhs.scot Signature:  Date Signed: 25/11/2021</p>

Approved for use within NoS Boards by;

North of Scotland (NoS) PGD Group Chair	Signature	Date Signed
Lesley Coyle		24/11/2021

Authorised and executively signed for use within NoS Boards by;

NHS Grampian Chief Executive	Signature	Date Signed
Professor Caroline Hiscox		01/12/2021

Management and Monitoring of Patient Group Direction

PGD Consultative Group

The consultative group is legally required to include a medical practitioner, a pharmacist and a representative of the professional group who will provide care under the direction.

Name:

Title:

Sarah Buchan

Lead Author: Pharmaceutical Services Improvement and Development Manager NHSG

Sam Reid

Pharmacist: Community Pharmacist NHSG

Dr Ambreen Butt

Medical Practitioner: Sexual Health Consultant NHSG

Frances Adamson

Co-ordinator: Medicines Management Specialist Nurse NHSG

Jackie Agnew

Head of Community Pharmacy Services NHSH

Alison MacDonald

Area Antimicrobial Pharmacist Microbiology NHSH

Patient Group Direction For The Supply Of Doxycycline Capsules For Treatment Of Uncomplicated Genital Chlamydia Infection By Pharmacists Working Within NHS Grampian, Highland, Orkney, Tayside and Western Isles

Clinical indication to which this PGD applies

<p>Definition of situation/ Condition</p>	<p>This Patient Group Direction (PGD) will authorise pharmacists to supply doxycycline capsules to individuals aged 13 years and over with a laboratory confirmed diagnosis of uncomplicated genital chlamydia infection. It also allows the treatment of asymptomatic sexual contacts of someone with a positive diagnosis of uncomplicated genital chlamydia infection.</p> <p>This PGD should be used in conjunction with the recommendations in the current British Association for Sexual Health and HIV (BASHH) relevant guidelines, British National Formulary (BNF), British National Formulary for Children (BNFC), and the individual Summary of Product Characteristics (SmPC).</p>
<p>Inclusion criteria</p>	<ul style="list-style-type: none"> • Aged 13 years of age and over with a positive chlamydia test and an uncomplicated genital presentation. • Asymptomatic individuals presenting within 2 weeks of sexual contact with an individual with a confirmed diagnosis of chlamydia. <p>Prior to the supply/administration of the medicine, valid consent to receiving treatment under this PGD must be obtained. Consent must be in line with current individual NHS Boards consent policy.</p>
<p>Exclusion criteria</p>	<ul style="list-style-type: none"> • Individuals under 13 years of age* • Under 16 years of age and judged to be incapable of understanding the nature and possible consequences of procedures or treatment as per Age of Legal Capacity (Scotland) Act 1991 (commonly referred to as Fraser competency) • Individuals 16 years of age and over and assessed as lacking capacity to consent. <p>Medical History</p> <ul style="list-style-type: none"> • Known pregnancy • Breast feeding • Men and anyone with a cervix complaining of symptoms suggestive of an STI prior to a confirmed chlamydia diagnosis • Known severe hepatic impairment • Known severe renal impairment

	<ul style="list-style-type: none"> • Suspected complicated chlamydia infection, i.e. anyone with a cervix with a positive chlamydia result complaining of pelvic pain/pain during vaginal sex, and men with a positive chlamydia test complaining of testicular pain must be referred to a GP or sexual health clinic • Individuals, who following a diagnosis and treatment for uncomplicated genital chlamydia infection report having unprotected vaginal, anal or oral sex with an untreated partner likely to have chlamydia infection • Presence of concomitant conjunctivitis and/or joint pain/swelling • Acute porphyria • Individuals with Myasthenia gravis • Individuals with Systemic Lupus Erythematosus (SLE) • Individuals with oesophagitis and oesophageal ulcerations • Individuals with rare hereditary problems of fructose intolerance, glucose galactose malabsorption or sucrose-isomaltase insufficiency should not take doxycycline. <p>Medication History</p> <ul style="list-style-type: none"> • Any concurrent interacting medicine(s): <ul style="list-style-type: none"> ○ Treatment with acitretin, alitretinoin, isotretinoin or tretinoin - increased risk of benign intracranial hypertension when given with doxycycline ○ Warfarin - doxycycline increases the risk of bleeding events when given with warfarin and so INR should be monitored. • Known allergy or hypersensitivity to doxycycline, other tetracycline antibiotics or to any component of the product - see Summary of Product Characteristics • Where there is no valid consent. <p>*Children under the age of 13 years should not be treated under this PGD. (The child protection team must be contacted for children of 12 years and under who present having had sexual intercourse). The pharmacist must use their professional judgement to consider, and where appropriate, act on any child protection issues coming to their attention as a result of providing the service. This should be in line with local child protection procedures and any national or local guidance on under 16s sexual activity.</p>
<p>Precautions and special warnings</p>	<p>Photosensitivity manifested by an exaggerated sunburn reaction has been observed in some individuals taking tetracyclines, including doxycycline. Individuals likely to be exposed to direct sunlight or ultraviolet light should be advised that this reaction can occur with tetracycline drugs and treatment should be discontinued at the first evidence of skin erythema.</p>

	Use doxycycline with caution in individuals with alcohol dependence.
Action if excluded from treatment	<p>Medical advice must be sought – refer to relevant medical practitioner.</p> <p>Document the reason for exclusion under the PGD and any action taken in the individual’s appropriate clinical records.</p>
Action if treatment is declined	<p>Inform/refer to the relevant medical practitioner if individual declines treatment, and/or provide them with information about further options.</p> <p>Document that the supply was declined, the reason and advice given in appropriate clinical records.</p>

Description of treatment available under the PGD

Name form and strength of medicine	Doxycycline 100mg Capsules.
Legal status	<p>Doxycycline 100mg Capsules are a Prescription-only Medicine (POM).</p> <p>In accordance with the MHRA all medicines supplied under a PGD must either be from over-labelled stock, or be labelled appropriately in accordance with the regulatory body guidelines for the labelling of medicines for the professional providing the supply.</p>
Dosage/Maximum total dose	<p>100mg twice a day.</p> <p>Maximum total dose of 1.4g to be supplied.</p>
Frequency of dose/Duration of treatment	Twice daily for seven days.
Maximum or minimum treatment period	Seven days.
Route/Method of administration	<p>Oral.</p> <p>The capsules should be swallowed with plenty of fluid. It is important not to lie down for at least thirty minutes after taking doxycycline capsules, so that the capsule can move as</p>

	swiftly as possible into the stomach and prevent irritation of the throat or oesophagus.
Quantity to be supplied	Supply 14 x 100mg capsules.
Storage requirements	Do not store above 25°C. Store in the original packaging to protect from moisture.
Follow-up (if applicable)	<p>If the individual returns following side effects resulting in stopping treatment or following completed treatment and still complaining of symptoms, they should be referred to GP/Consultant (relevant medical practitioner) or a sexual health clinic. Their Individual Medication Record should be updated to record this.</p> <p>Follow local individual Board protocol for chlamydia follow up and partner notification.</p>
Advice (Verbal)	<p>Advise individual what to expect and what to do for minor and major reactions.</p> <p>Cautionary and Advisory labels 6, 9,11 and 27 apply:</p> <ul style="list-style-type: none"> • Do not take indigestion remedies or medicines containing iron or zinc, 2 hours before or after you take this medicine • Space the doses evenly throughout the day. Keep taking the medicine until the course is complete or you are told to stop • Protect your skin from sunlight – even on a bright but cloudy day. Do not use sun beds • Take with a full glass of water or milk. <p>Individuals should be advised take capsules whilst sitting or standing and well before going to bed.</p> <p>Individuals should receive information regarding chlamydia infection at the time of antibiotic treatment, and must be advised to notify any sexual partners, and issue contact slips if appropriate.</p> <p>Discuss implications of incompletely treated/untreated infection of self or partner.</p> <p>Individuals should also be advised to abstain from having oral, anal or vaginal sex, even with a condom for the duration of treatment and until their current partners (if they have one), have completed treatment, or until they are symptom free if they have ongoing symptoms after completing prescribed treatment.</p>

	<p>Discuss risk of re-infection, and further transmission of infection, if after treatment sexual intercourse takes place with an untreated partner/s.</p> <p>Offer advice on safer sex practices and possible need for screening for sexually transmitted infections (STIs). Ensure the individual has contact details of local sexual health services.</p> <p>If serious adverse or persistent effects occur, the individual/person with parental responsibility should be advised to contact their GP/Accident and Emergency department/NHS24.</p>
<p>Advice (Written)</p>	<p>The Patient Information Leaflet (PIL) contained in the medicine(s) should be made available to the individual. Where this is unavailable, or unsuitable, sufficient information should be given in a language that they can understand.</p>
<p>Identifying and managing possible adverse reactions</p>	<p>The following side effects are common with doxycycline (but may not reflect all reported side effects):</p> <ul style="list-style-type: none"> • Hypersensitivity reactions • Headache • Nausea • Vomiting • Rashes including maculopapular and erythematous rashes, exfoliative dermatitis, erythema • Photosensitivity skin reactions. <p>This list is not exhaustive. Please also refer to current BNF/BNFC and manufacturers SmPC for details of all potential adverse reactions.</p> <p>BNF/BNFC: BNF British National Formulary - NICE BNF for Children British National Formulary - NICE</p> <p>SmPC/PIL/Risk Minimisation Material: Home - electronic medicines compendium (emc) MHRA Products Home RMM Directory - (emc)</p> <p>If an adverse reaction does occur give immediate treatment and inform relevant medical practitioner as soon as possible. Report any severe reactions using the Yellow Card System. Yellow Card Scheme - MHRA</p>
<p>Facilities and supplies required</p>	<p>The following are to be available at sites where the medicine is to be supplied:</p> <ul style="list-style-type: none"> • Appropriate storage facilities

	<ul style="list-style-type: none"> • An acceptable level of privacy to respect individual’s right to confidentiality and safety • Access to a working telephone • Access to medical support (this may be via the telephone) • Clean and tidy work areas, including access to hand washing facilities or alcohol hand gel • A copy of this current PGD in print or electronically.
--	--

Characteristics of staff authorised to supply medicine(s) under PGD

Professional qualifications	Pharmacists whose name is currently on the register held by the General Pharmaceutical Council (GPhC).
Specialist competencies	<p>Approved by the organisation as:</p> <ul style="list-style-type: none"> • Competent to assess the individual’s capacity to understand the nature and purpose of the medicine supply in order to give or refuse consent • Aware of current treatment recommendations and be competent to discuss issues about the medicine with the individual • Having undertaken appropriate training to carry out clinical assessment of individuals identifying that treatment is required according to the indications listed in the PGD. • Competent to undertake supply of the medicine • Competent to work under this PGD.
Ongoing training and competency	<p>All professionals working under this PGD must:</p> <ul style="list-style-type: none"> • Have undertaken PGD training as required/set out by each individual Health Board • Maintain their skills, knowledge and their own professional level of competence in this area according to their Code of Professional Conduct • Have knowledge and familiarity of the following; <ul style="list-style-type: none"> ○ SmPC for the medicine(s) to be supplied in accordance with this PGD.
Responsibilities of professional manager(s)	<p>Professional manager(s) will be responsible for;</p> <p>Ensuring that the current PGD is available to all staff providing care under this direction.</p> <p>Ensuring that staff have received adequate training in all areas relevant to this PGD and meet the requirements above.</p> <p>Maintain up to date record of all staff authorised to supply the medicine(s) specified in this direction.</p>

Documentation

<p>Authorisation of supply</p>	<p>Pharmacists working within NHS Grampian, Highland, Orkney, Tayside and Western Isles can be authorised to administer the medicine(s) specified in this PGD when they have completed local Board requirements for service registration.</p> <p>All authorised staff are required to read the PGD and sign the Agreement to Supply Medicines Under PGD (Appendix 1).</p> <p>A Certificate of Authorisation (Appendix 2) signed by the authorising professional/manager should be supplied. This should be held in the individual health professional's records, or as agreed within the individual Health Board.</p>
<p>Record of supply</p>	<p>An electronic or paper record for recording the screening of individuals and the subsequent supply, or not of the medicine(s) specified in this PGD must be completed in order to allow audit of practice. This should include as a minimum:</p> <ul style="list-style-type: none"> • Date and time of supply • Individuals name and CHI • Exclusion criteria, record why the medicine was not supplied (if applicable) • Record that valid consent to treatment under this PGD was obtained • The name, dose, form, route of the medicine supplied • Advice given, including advice given if excluded or declined treatment under this PGD • Signature and name in capital letters of the healthcare professional who supplied the medicine • Record of any adverse effects (advise individuals GP/relevant medical practitioner). <p>Depending on the clinical setting where supply is undertaken, the information should be recorded manually or electronically, in one (or more) of the following systems, as appropriate:</p> <ul style="list-style-type: none"> • Individual service specific systems.
<p>Audit</p>	<p>All records of the medicine(s) specified in this PGD will be filed with the normal records of medicines in each practice/service. A designated person within each practice/service where the PGD will be used will be responsible for annual audit to ensure a system of recording medicines supplied under a PGD.</p>
<p>References</p>	<p>Electronic Medicines Compendium http://www.medicines.org.uk Doxycycline 100mg Capsules (Kent Pharmaceuticals) – Date of revision of text 22/01/21, accessed 02/09/21.</p>

	<p>British National Formulary and British National Formulary for Children https://www.bnf.org/products/bnf-online/ accessed 02/09/21.</p> <p>BASHH CEG September 2018 – Update on the treatment of <i>Chlamydia trachomatis</i> (CT) infection</p>
--	---



Appendix 1

Healthcare Professional Agreement to Supply Medicine(s) Under Patient Group Direction

I: _____ (Insert name)

Working within: _____ e.g. Area, Practice

Agree to supply the medicine(s) contained within the following Patient Group Direction:

Patient Group Direction For The Supply Of Doxycycline Capsules For Treatment Of Uncomplicated Genital Chlamydia Infection By Pharmacists Working Within NHS Grampian, Highland, Orkney, Tayside and Western Isles

I have completed the appropriate training to my professional standards enabling me to supply the medicine(s) under the above direction. I agree not to act beyond my professional competence, nor out with the recommendations of the direction.

Signed: _____

Print Name: _____

Date: _____

Profession: _____

Professional Registration number/PIN _____



Appendix 2

**Healthcare Professionals Authorisation to Supply Medicine(s)
Under Patient Group Direction**

The Lead manager/Professional of each clinical area is responsible for maintaining records of all clinical areas where this PGD is in use, and to whom it has been disseminated.

The Senior Nurse/Professional who approves a healthcare professional to supply the medicine(s) under this PGD is responsible for ensuring that he or she is competent, qualified and trained to do so, and for maintaining an up-to-date record of such approved persons.

The Healthcare Professional that is approved to supply the medicine(s) under this PGD is responsible for ensuring that he or she understands and is qualified, trained and competent to undertake the duties required. The approved person is also responsible for ensuring that supply is carried out within the terms of the direction, and according to his or her individual code of professional practice and conduct.

Patient Group Direction For The Supply Of Doxycycline Capsules For Treatment Of Uncomplicated Genital Chlamydia Infection By Pharmacists Working Within NHS Grampian, Highland, Orkney, Tayside and Western Isles

Local clinical area(s) where the listed healthcare professionals will operate under this PGD:

Name of Healthcare Professional	Signature	Date	Name of Manager	Signature	Date

Patient Group Direction For The Supply Of Doxycycline Capsules For Treatment Of Uncomplicated Genital Chlamydia Infection By Pharmacists Working Within NHS Grampian, Highland, Orkney, Tayside and Western Isles

Name of Healthcare Professional	Signature	Date	Name of Manager	Signature	Date